EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16796	("320"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/15 14:46
L2	23	L1 and ((zener with diode) with (constant with voltage)) same (current with limit\$4 with resistor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/15 14:46
S1	2	("20020161537"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/14 16:00
S2	883	(320/132).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/14 17:20
S3	8	\$2 and impedance and filter and (op\$amp (operational with amplif \$4)) and (convert\$4 A \$1D AC\$1DC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 17:45
S4	1	("6842708").PN.	USPAT; USOCR	OR	OFF	2008/07/14 18:13
S 5	15	("4743831" "5565759" "5751217" "6087808" "6108579" "6232750" "6259232" "6448743" "6539849" "6563318" "6608469" "6642719"), PN. OR ("6642708"). URIPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/14 18:14
S6	783	(320/134).CCLS	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/14 18:14
S7	9	S6 and impedance and filter and (op\$amp (operational with amplif \$4)) and (convert\$4 A \$1D AC\$1DC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:15

S8	9	S6 and imped\$4 and filter and (op\$amp (operational with amplif \$4)) and (convert\$4 A \$1D AC\$1DC)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:16
S9	21	\$6 and filter and (op \$amp (operational with amplif\$4)) and (convert \$4 A\$1D AC\$1DC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:38
S10	17	\$6 and filter and (op \$amp (operational with amplif\$4)) and (convert \$4 AC\$DC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:40
S11	16784	("320").Q.AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/14 18:55
S12	244	\$11 and filter and (op \$amp (operational with amplif\$4)) and (convert \$4 AC\$DC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:55
S13	127	\$11 and filter and (op \$amp (operational with ampli\$4)) and (convert \$4 AC\$DC) and (micro \$processor micro \$computer micro \$computer cpu)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 18:58
S14	125	\$13 and (voltage with (monitor\$4 sens\$4 measur\$4 detect\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 19:05
S15	25	\$14 and (mux multiplex \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 19:33
S16	15	S14 and diode with (constant with voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/07/14 21:24
S17	16796	("320"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/07/15 09:12

S18 228 S17 and (zener with diode) with (constan with voltage)		ON 2008/07/15 09:12
--	--	------------------------

^{7/15/2008 4:08:12} PM

C:\ Documents and Settings\ aboateng\ My Documents\ EAST\ Workspaces\ voltage and impedance measure 10596102.wsp